




**SOAKAWAY PIT**  
(SECTIONAL ELEVATION)



**DETAIL OF PRECAST CONC. COVER SLAB**  
(FOR SOAKAWAY PIT)



**DETAIL "1"**



**DETAIL "2"**

**NOTES:**

- 1- ALL DIMENSIONS ARE IN MILLIMETERS EXCEPT OTHERWISE STATED.
- 2- SOAKAWAY PIT VENT PIPE TO BE CARRIED 600mm. ABOVE ROOF LEVEL OR AS DIRECTED ON RELEVANT DWG.'S.
- 3- SOAKAWAY PITS USED FOR SANITARY PURPOSES SHOULD HAVE 50 m<sup>3</sup> MIN. HORIZONTAL TUNNEL.

**LEGEND**

F.G.L.	FINISHED GROUND LEVEL
M.S.	MILD STEEL
C.I.	CAST IRON
CONC.	CONCRETE
C.S.G.	CEMENT, SAND, GRAVEL
C.S.	CEMENT, SAND MIX
APPROX.	APPROXIMATE
REINF.	REINFORCED

C		
B		
A		
REV	DESCRIPTION	DATE

**IRANIAN PETROLEUM STANDARDS**

NO REVISION PERMITTED UNLESS APPROVED BY STANDARD ORGANIZATION

TYPICAL SOAKAWAY PIT

DATE	DRAWING No.	SHEET	REV.
	IPS - D - CE - 240	1	1

NOT TO SCALE